

11-13-00

A

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 39088/205438

First Inventor or Application Identifier: Wen-Shi Huang et al.

Title of Invention: MAGNETIC BEARING ASSEMBLY

Express Mail Label No. EL 432822763 US

ADDRESS TO: ASSISTANT COMMISSIONER FOR PATENTS
BOX PATENT APPLICATION
WASHINGTON, DC 20231

Transmitted herewith for filing in the United States Patent Office is a patent application for:

Inventors: Wen-Shi Huang; Shuh-Chen Chang

1. ☒ The Filing Fee has been calculated as shown below:
2. ☐ Applicant claims Small Entity Status. See 37 CFR 1.27.

	No. Filed	No. Extra	Small Entity Rate	Fee 0	Large Entity Rate	Fee 1
BASIC FEE				\$0		\$710
TOTAL CLAIMS:	15 - 20 =	0	X 9 =	\$0	x 18 =	\$0
INDEP CLAIMS:	2 - 3 =	0	X 40 =	\$0	x 80 =	\$0
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS PRESENTED			+135 =	\$	+270 =	\$
*If the difference in Column 1 is less than zero, enter "0" in Column 2.			TOTAL \$		TOTAL \$	710

The Commissioner is hereby authorized to credit overpayments or charge the following fees to Deposit Acct. No. 16-0605.

- a. ☒ Fees required under 37 CFR 1.16 (National filing fees).
- b. ☒ Fees required under 37 CFR 1.17 (National application processing fees).
- ☒ A check in the amount of \$ 710.00 for the filing fee is enclosed.
- ☐ The above filing fee will be paid along with Applicant(s) Response to the Notice to File Missing Parts.
3. ☒ Specification; Total Pages 9
4. ☒ 6 Sheets of Formal Drawing(s) (35 USC 113)
5. ☒ Declaration and Power of Attorney; [Total Pages 2]
- a. ☒ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
- i. ☐ DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) & 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76
7. ☐ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)

jc914 U.S. PTO
09/709794
11/10/00

8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy (CRF)
 - b. ☐ Specification Sequence Listing on:
 - i. ☐ CD-ROM or CD-R (2 copies); or
 - ii. ☐ Paper
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. ☒ Assignment Papers (cover sheet & document(s) (including a check for the \$40.00 fee)
10. ☐ 37 CFR 3.73(b) Statement (when there is an assignee); ☐ Power of Attorney
11. ☐ English Translation Document (if applicable)
12. ☐ Information Disclosure Statement (IDS)/PTO-1449; ___ Copies of IDS Citations
13. ☒ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
15. ☒ Certified Copy of Priority Document(s) (if foreign priority is claimed)
- Foreign Priority is Taiwan, No. 89202989, filed February 24, 2000
16. ☐ Other: ___
17. **If a CONTINUING APPLICATION**, check appropriate box and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CF 1.76:
- ☐ Continuation ☐ Divisional ☐ Continuation in Part (CIP)
- of prior Application No: ___; Filed ___

Prior Application Information: Examiner


Group/Art Unit:

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

18. CORRESPONDENCE ADDRESS

Customer Number or Bar Code Label **000826**

Attention Of: Raymond O. Linker, Jr.

Signature: 

Attorney/Agent of Record: Raymond O. Linker, Jr.

Attorney/Agent Registration No. 26,419

Tel Charlotte Office (704) 331-6000

Fax Charlotte Office (704) 334-2014

ALSTON & BIRD LLP

P.O. Drawer 34009

Charlotte NC 28234-4009

"Express Mail" mailing label number EL 432822763 US

Date of Deposit November 10, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box Patent Application, Assistant Commissioner For Patents, Washington, DC 20231.



Sarah B. Simmons

CLT01/4451241v1

Attorney's Docket No. 39088/205438

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Wen-Shi Huang et al.
Appl. No.: To be assigned
Filed: Concurrently herewith
For: MAGNETIC BEARING ASSEMBLY

November 10, 2000

Assistant Commissioner for Patents
Washington, DC 20231

PRELIMINARY AMENDMENT

Dear Sir:

Please amend the above-identified application as follows:

In The Claims:

Claim 15, lines 1 and 2, please delete "The magnetic bearing assembly according to Claim 1,".

REMARKS


The above amendment is made to more clearly define the invention under United States practice. Please enter this amendment prior to calculation of the filing fee.

It is not believed that extensions of time or fees for net addition of claims are required, beyond those that may otherwise be provided for in documents accompanying this paper. However, in the event that additional extensions of time are necessary to allow consideration of this paper, such extensions are hereby petitioned under 37 CFR § 1.136(a), and any fee required

In re: Wen-Shi Huang
Appl. No.: To be assigned
Filed: Concurrently herewith
Page 2

therefore (including fees for net addition of claims) is hereby authorized to be charged to Deposit Account No. 16-0605.

Respectfully submitted,



Raymond O. Linker, Jr.
Registration No. 26,419

ALSTON & BIRD LLP

P.O. Drawer 34009


Charlotte, NC 28234

Tel Charlotte Office (704) 331-6000

Fax Charlotte Office (704) 334-2014

"Express Mail" Mailing Label Number EL 432822763 US
Date of Deposit: November 10, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Box Patent Application, Assistant Commissioner for Patents, Washington, DC 20231.


Sarah B. Simmons

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner For Patents, Washington, DC 20231, on November 10, 2000.

CLT01/4451304v1

MAGNETIC BEARING ASSEMBLY

FIELD OF THE INVENTION

The present invention relates to a magnetic bearing assembly, and
5 more particularly to a magnetic bearing assembly capable of generating
radially and axially repulsive magnetic fields.

BACKGROUND OF THE INVENTION

A bearing is customarily used to support a rotating shaft of a motor
when a rotor rotates around the stator circumferentially.

10 There are two general types of bearings: a ball bearing and a self-
lubricating bearing.

Please refer to Figs. 1(a) and 1(b). The ball bearing includes
mainly an inner ring 13 which includes a groove as a raceway, an outer
ring 12 which also includes a groove as a raceway and a plurality of steel
15 balls 11 which are inserted between respective grooves of the inner and
outer rings. The inner ring 13 is usually fixed to a rotary shaft 21 of a
rotor, and the outer ring 12 is fixed to a base or a stator 23. The upper
side of the ball bearing is urged against a spring 22 for facilitating
smooth rotation.

20 Upon rotating the shaft, the balls of the ball bearing race around the
grooves inward the outer ring 12 and outward the inner ring 13. After
the ball bearing is used for a certain period of time, the fatigue of the
metal material is customarily found, thereby causing the balls and the
surface of the inner ring or the outer ring to be abraded.

25 Referring to Figs. 2(a) and 2(b), a self-lubricating bearing
manufactured of polymeric material is usually in a shape of a sleeve 3
and it contains minute passages or channels carrying therein the

lubricating oil 31 such that the oil can be deposited on the shaft 21 by diffusion into the inner wall 32 upon rotation of the shaft 21. The inner wall 32 of the self-lubricating bearing usually contacts with a rotary shaft 21, and the outer wall 33 is fixed to a base or a stator 23.

5 In contrast, the ball bearing can perform under heavy loads and has a long life; however, it is costly and has the disadvantage of being abraded. The self-lubricating bearing has good self-lubricating properties to reduce abrasion and is cheaper than the ball bearing; however, it generally incapable of being operated with large loads and its life is not
10 very long.

It is therefore tried by the present invention to overcome the problems described above.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a magnetic bearing
15 assembly having an extended lifetime.

It is further an object of the present invention to provide a magnetic bearing assembly having a low cost.

The magnetic bearing assembly according to the present invention comprises a magnetic portion connected to a shaft and a base for
20 generating a repulsive magnetic field and a bearing portion connected to the shaft and the base for supporting said shaft upon rotation of the shaft.

Certainly, the repulsive magnetic field can be one of a radially repulsive magnetic field and an axial repulsive magnetic field.

Preferably, the bearing portion is a sleeve bearing.

25 Preferably, the base is a stator of a motor.

In an aspect of the present invention, the magnetic portion includes an upper magnetic portion and a lower magnetic portion, wherein the

upper magnetic portion and the lower magnetic portion are disposed symmetrically and each includes a first magnetic ring, a second magnetic ring and a third magnetic ring. The first magnetic ring and the second magnetic ring are connected to the shaft, and the third magnetic ring is
5 connected to the base. The second magnetic ring and the third magnetic ring are disposed in radial alignment with each other to have like polar disposition. The first magnetic ring and the second magnetic ring are disposed in axial alignment with each other to have opposite polar disposition.

10 In another aspect of the present invention, the magnetic portion includes an upper magnetic portion and a lower magnetic portion, wherein the upper magnetic portion includes an inner magnetic ring and an outer magnetic ring and the lower magnetic portion includes a first magnetic ring, a second magnetic ring and a third magnetic ring. The
15 inner magnetic ring and the outer magnetic ring are disposed in radial alignment with each other to have like polar disposition. The first magnetic ring and the third magnetic ring are connected to the shaft and the second magnetic ring is connected to the base. The first magnetic ring, the second magnetic ring and the third magnetic ring are disposed
20 in radial alignment with each other to have opposite polar disposition.

The above objects and advantages of the present invention will become more readily apparent to those ordinarily skilled in the art after reviewing the following detailed description and accompanying drawings, in which:

25 BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1(a) is a sectional view of a customarily used ball bearing;

Fig. 1(b) shows a schematic view for an application of a customarily

used ball bearing;

Fig. 2(a) is a sectional view of a customarily used self-lubricating bearing;

Fig. 2(b) shows a schematic view for an application of a customarily
5 used self-lubricating bearing;

Fig. 3 is a schematic view of the magnetic bearing assembly according to a first embodiment of the present invention; and

Fig. 4 is a schematic view of the magnetic bearing assembly according to a second embodiment of the present invention.

10 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Fig. 3 is a schematic diagram of the magnetic bearing assembly according to the first embodiment of the present invention. The magnetic bearing assembly includes a magnetic portion and a bearing portion. The bearing portion is a sleeve bearing 5. The magnetic
15 portion comprises an upper magnetic portion comprising three magnetic rings, i.e. 51, 52 and 53, and a lower magnetic portion comprising three magnetic rings, i.e. 511, 521 and 531. In the upper magnetic portion, the first magnetic ring 51 and the second magnetic ring 52 are connected to the stator 23 and the third magnetic ring 53 is connected to the shaft
20 21. The second magnetic ring 52 and the third magnetic ring 53 are disposed in radial alignment, wherein these two rings are assembled with each other to have the like polar disposition for generating repulsive magnetic field. In addition, the first magnetic ring 51 and the second magnetic ring 52 are disposed in axial alignment to have opposite polar
25 disposition for generating an axially repulsive magnetic field. The radially repulsive magnetic field, generated between the second magnetic ring 52 and the third magnetic ring 53, and the axially repulsive

magnetic field, generated between the first magnetic ring 51 and the second magnetic ring 52, allow to reduce friction between the sleeve bearing 5 and the shaft 21 upon rotation of the shaft. The same situation may be deduced by analogy that the three magnetic rings 511,
5 521 and 531 in the lower magnetic portion facilitate reducing friction between the sleeve bearing 5 and the shaft 21 upon rotation.

Fig. 4 is a schematic diagram of the magnetic bearing assembly according to the second embodiment of the present invention. The magnetic bearing assembly includes a magnetic portion and a bearing
10 portion. The bearing portion is a sleeve bearing 5. The magnetic portion comprises an upper magnetic portion having two magnetic rings, i.e. an inner magnetic ring 73 and an outer magnetic ring 74, and a lower magnetic portion having three magnetic rings, i.e. 75, 76 and 77. In the upper magnetic portion, the inner magnetic ring 73 is connected to the
15 shaft 21 and the outer magnetic ring 74 is connected to the stator 23. These two magnetic rings 73 and 74 are disposed in radial alignment with each other to have like polar disposition for generating repulsive magnetic field. In the lower magnetic portion, the first magnetic ring 75 and the third magnetic ring 77 are connected to the shaft 21 and the
20 second magnetic ring is connected to the stator 23. These three magnetic rings 75, 76 and 77 are disposed in axial alignment to have opposite polar disposition for generating axially repulsive magnetic fields. Therefore, the friction between the sleeve bearing 5 and the shaft 21 upon rotation is considerably reduced.

25 The magnetic bearing assembly according to the present invention provides substantially frictionless rotation. Thus, it requires no lubrication, results in less abrasion and produces low noise, all of which

contribute to extend the operating life of the bearing. Furthermore, the magnetic rings can be made of plastic magnet for reducing the cost of production and the cost of the magnetic bearing assembly is close to the self-lubricating bearing.

- 5 While the foregoing has been described in terms of preferred embodiments of the invention, it will be appreciated by those skilled in the art that many variations and modifications may be made without departing from the principles and spirit of the invention, the scope of which is defined by the appended claims.

10

WHAT IS CLAIMED IS:

1. A magnetic bearing assembly, comprising:
 - a magnetic portion connected to a shaft and a base for generating a repulsive magnetic field; and
 - 5 a bearing portion connected to said shaft and said base for supporting said shaft upon rotation of said shaft.
2. The magnetic bearing assembly according to Claim 1, wherein said repulsive magnetic field is one of a radially repulsive magnetic field and an axial repulsive magnetic field.
- 10 3. The magnetic bearing assembly according to Claim 1, wherein said magnetic portion includes an upper magnetic portion and a lower magnetic portion.
4. The magnetic bearing assembly according to Claim 3, wherein said upper magnetic portion and said lower magnetic portion are disposed
- 15 symmetrically and each includes a first magnetic ring, a second magnetic ring and a third magnetic ring.
5. The magnetic bearing assembly according to Claim 4, wherein said first magnetic ring and said second magnetic ring are connected to said shaft and said third magnetic ring is connected to said base.
- 20 6. The magnetic bearing assembly according to Claim 4, wherein said second magnetic ring and said third magnetic ring are disposed in radial alignment with each other to have like polar disposition.
7. The magnetic bearing assembly according to Claim 4, wherein said first magnetic ring and said second magnetic ring are disposed in axial
- 25 alignment with each other to have opposite polar disposition.
8. The magnetic bearing assembly according to Claim 3, wherein said upper magnetic portion includes an inner magnetic ring and an outer

magnetic ring and said lower magnetic portion includes a first magnetic ring, a second magnetic ring and a third magnetic ring.

9. The magnetic bearing assembly according to Claim 8, wherein said inner magnetic ring and said outer magnetic ring are disposed in radial
5 alignment with each other to have like polar disposition.

10. The magnetic bearing assembly according to Claim 8, wherein said first magnetic ring and said third magnetic ring are connected to the shaft and said second magnetic ring is connected to said base.

11. The magnetic bearing assembly according to Claim 8, wherein said
10 first magnetic ring, said second magnetic ring and said third magnetic ring are disposed in radial alignment with each other to have opposite polar disposition.

12. The magnetic bearing assembly according to Claim 1, wherein said bearing portion is a sleeve bearing.

13. The magnetic bearing assembly according to Claim 1, wherein said
15 base is a stator of a motor.

14. A magnetic bearing assembly, comprising:

a magnetic portion having a plurality of magnetic rings capable of generating therebetween a repulsive magnetic field; and

20 a bearing portion having a sleeve bearing connected to a shaft and a stator of a motor.

15. The magnetic bearing assembly according to Claim 14, The magnetic bearing assembly according to Claim 1, wherein said repulsive magnetic field is one of a radially repulsive magnetic field and an axial repulsive
25 magnetic field.

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

A magnetic bearing having a magnetic portion for generating a repulsive magnetic field and a bearing portion for supporting a shaft upon its rotation is disclosed. The magnetic bearing assembly according to the present invention provides substantially frictionless rotation. Thus, it requires no lubrication, results in less abrasion and produces low noise, all of which contribute to extend the operating life of the bearing.




Fig. 1(b)(PRIOR ART)




Fig. 2(a)(PRIOR ART)




Fig. 2(b)(PRIOR ART)




Fig. 3




Fig. 4

Declaration and Power of Attorney For Patent Application English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I verily believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

MAGNETIC BEARING ASSEMBLY

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as
Application Serial No. _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Office all information known to me to be material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

<u>89202989</u>	<u>Taiwan</u>	<u>24/February/2000</u>
(Number)	(Country)	(Day/Month/Year Filed)

_____	_____	_____
(Number)	(Country)	(Day/Month/Year Filed)

_____	_____	_____
(Number)	(Country)	(Day/Month/Year Filed)

Priority Claimed

<input checked="" type="checkbox"/>	<input type="checkbox"/>
Yes	No
<input type="checkbox"/>	<input type="checkbox"/>
Yes	No
<input type="checkbox"/>	<input type="checkbox"/>
Yes	No

I hereby claim the benefit under Title 35, United States Code, § 120 any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of title 35, United States Code, § 112, I acknowledge the duty to disclose to the Office all information known to me to be material to patentability of the application as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)

(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)

(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

See Attachment

Send Correspondence to Alston & Bird LLP
1211 East Morehead Street, P.O. Drawer 34009, Charlotte, NC 28234-4009

Direct Telephone Calls to: Alston & Bird LLP
 at telephone No. (704)3316000

Full name of sole or first inventor Wen-Shi Huang	
Inventor's signature <i>Wen-shi Huang</i>	Date OCTOBER 18, 2000
Residence No.31-1, Shien Pan Rd., Kuei San Industrial Zone, Taoyuan Hsien, Taiwan, R.O.C.	
Citizenship A citizen of Taiwan, R.O.C.	
Post Office Address The same as above	
Full name of second joint inventor, if any Chang Shun-Chen	
Second Inventor's signature <i>S. C. Chang</i>	Date OCTOBER 18, 2000
Residence No.31-1, Shien Pan Rd., Kuei San Industrial Zone, Taoyuan Hsien, Taiwan, R.O.C.	
Citizenship A citizen of Taiwan, R.O.C.	
Post Office Address The same as above	

(Supply similar Information and signature for third and subsequent joint inventors.)

ATTACHMENT

ATTORNEYS OF ALSTON & BIRD LLP

I hereby appoint the practitioners associated with the Customer Number provided below to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to that Customer Number:

Customer Number 000826

000826-166060